

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23024

Stream : West Fork White Lick
Creek

Applicant : Arvin Hopkins
11050 North Bethel Road
Mooresville, IN 46158-6941

Description : An approximate 300' x 110' area will be excavated to an 8' depth to serve as a water runoff detention basin for a development landward of the floodway. The excavated material will be used for fill and placed outside of the floodway. Details of the project are contained in information and plans received at the Division of Water on August 6, 2004.

Location : On the right (west) overbank of East Fork White Lick Creek beginning approximately 1000' downstream of the Bridge Street crossing and continuing downstream 300'
DOWNSTREAM: at Mooresville, Brown Township, Morgan County
SW¼, NE¼, NE¼, Section 36, T 14N, R 1E, Mooresville East Quadrangle
Quad Code: 3908653
UTM Coordinates: Downstream 4384800 North, 554900 East
UPSTREAM: Morgan County

UTM Coordinates: Upstream 4384900 North, 554325 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23031

Stream : St. Joseph River

Applicant : Indiana Michigan Power Company
Jeffery N Reece
13840 East Jefferson Road
Mishawaka, IN 46545

Description : A canoe launching site will be constructed on the right (north) bank of the river. The site will consist of 6" of crushed stone aggregate in an area 10' wide X 30' long with access provided to accomodate special needs by a gently sloping concrete ramp 6' wide by about 165' long with a metal handrail. Construction will require excavation of approximately 80 cu yards of material to be hauled offsite. Approximately 13 cu yds of concrete will be used for the ramp and 18 cu yds of stone will be used for the launch site and the ramp. Details of the project are contained in information and plans received at the Division of Water on August 9, 2004.

Location : On the right (north) bank of the St. Joseph River approximately 250 feet downstream of the Johnson Street stream crossing
near Elkhart, Concord Township, Elkhart County
E½, NE¼, Section 5, T 37N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4616050 North, 586000 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23035

Stream : Walnut Fork

Applicant : Walnut Fork Inc.
Kevin Porker
867 North Walnut Hills
Crawfordsville, IN 47933-9651

Description : Excavating approximately 6 acres of soil to create a pond for recreation and to enhance wildlife habitat. The excavation depth will range from 24' near the center to 1' near the shore. Approximately 232,000 cubic yards of material will be removed, of which, 32,500 will be used for a berm to act as a levee around the pond. The berm will be 40' wide at its base sloping uniformly to a width of 16' at top. It will be 10' high. The remainder of the spoilage will be removed over a three year period. This spoilage will be stored at the highest level in the open field on property until removal. Excavation could be staged with removal of spoilage from property based on our findings. Details of the project are contained in information and plans received at the Division of Water on August 27,2004.

Location : Approximately 800' to 1850' east and 150' to 900' south of the northwest corner of section 34
DOWNSTREAM: near Crawfordsville, Union Township, Montgomery County
E½, NE¼, Section 34, T 19N, R 4W, Darlington Quadrangle
Quad Code: 4008617
UTM Coordinates: Downstream 4433703 North, 511675 East
UPSTREAM: Montgomery County

UTM Coordinates: Upstream 4433540 North, 511942 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23036

Stream : Unnamed Tributary Offfield Creek

Applicant : *Indiana Department of Transportation
Carole Korbly Scott
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2249

Description : The proposed project will replace the existing 4.88 meter X 2.44 meter concrete arch culvert on essentially the same horizontal alignment. The road will be lowered about 2 meters on the south end of the project so it will match the grade of the adjacent project. The new 3-sided culvert will have a 6.706 meter span and 3.658 meter rise. It will have no skew. The clear roadway at the structure is 12 meters. The project length will be 160 meters with 40 meters of incidental construction on the south end and 60 meters on the north end. Details of the project are contained in information and plans received at the Division of Water on August 30,2004

Location : At the State Road 47 stream crossing
near Crawfordsville, Union Township, Montgomery County
NW¼, NW¼, SW¼, Section 18, T 18N, R 4W, Crawfordsville Quadrangle
Quad Code: 4008618
UTM Coordinates: Downstream 4428077 North, 506773 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23038

Stream : Curtis Creek

Applicant : Kent and Beth Korniak
6714 South County Road 900 West
Rensselaer, IN 47978-8876

Description : A grassed waterway 1513' long with a channel bottom width of 16', a depth of 1.9' and 8:1 sideslopes will be constructed in the right (west) overbank of the stream to improve surface and subsurface drainage and reduce soil erosion. The outlet of the waterway into the stream will consist of an approximate 50' long grouted rock chute at a 5:1 slope with an entrance apron width of 27' and reducing to 18' at the end, a depth varying from 1.2' to 1.9', and 3:1 sideslopes. Additionally, a 14' plunge pool will be constructed at the beginning of the waterway. Details of the project are contained in information and plans received at the Division of Water on August 12, 2004 and August 16, 2004

Location : On the right (west) overbank beginning approximately 3700' upstream of the confluence with Iroquois River and continuing upstream approximately 1600'
DOWNSTREAM: near Rensselaer, Newton Township, Jasper County
E½, NE¼, Section 5, T 28N, R 7W, Rensselaer Quadrangle
Quad Code: 4008782
UTM Coordinates: Downstream 4528250 North, 480250 East
UPSTREAM:
UTM Coordinates: Upstream 4528675 North, 480075 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23046

Stream : Yellow River

Applicant : Marshall County Drainage Board
Kevin Overmyer
112 West Jefferson Street, Room 205
Plymouth, IN 46563-1764

Description : Approximately 200' the river's eroded west bank will be restored to a 2:1 slope and protected with riprap and vegetated gabion baskets laid over a geotextile fabric. Details of the project are contained in information and plans received at the Division of Water on August 17, 2004, and August 26, 2004.

Location : Along the left (west) bank of the river beginning approximately 200' downstream of the Norfolk Western Railroad Bridge, continuing downstream for approximately 200'
near Plymouth, Center Township, Marshall County
SW¼, Section 13, T 33N, R 2E, Plymouth Quadrangle
Quad Code: 4108633
UTM Coordinates: Downstream 4575654 North, 557439 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23047

Stream : Eagle Creek

Applicant : Indianapolis Department of Parks and Recreation
Don Miller
1651 West 30th Street
Indianapolis, IN 46208-4984

Description : A 22' X 14' wooden platform will be constructed on the right (west) bank of Eagle Creek for viewing wildlife within a nature sanctuary at Eagle Creek Park. A 52" high railing will be around the platform. An 8' wide X 48' long wooden walkway with 42" high railing will be constructed to provide access to the platform together with a 6' wide X 600' long crushed limestone walking path at existing grade. The platform and walkway will be on 6" X 6" timber posts which will be encased below ground in concrete 24" in diameter. The elevation of the floor of the platform and walkway will be 793.3' NGVD. Details of the project are contained in plans and information received at the Division of Water on August 17, 2004.

Location : On the right bank (west) of Eagle Creek Reservoir approximately 1800' downstream of the I-65 bridges
near Traders Point, Pike Township, Marion County
NW¼, SW¼, SE¼, Section 28, T 17N, R 2E, Zionsville Quadrangle
Quad Code: 3908683
UTM Coordinates: Downstream 4414863 North, 559433 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23048

Stream : Miller Fork

Applicant : David K Gater
103 Country Lake Road
Underwood, IN 47177-1409

Description : A bobcat dredge will be used to perform some dredging along the bank of the east to the west. Approximately 12 yds of gravel will be removed from a 20' x 210' area to a depth of 1' below the current streambed. The excavated material will be piped to a detention area where it will be dewatered. Adequate detention time will be provided to allow the suspended sediments to settle out of the decanted water before returning the water to the stream. The dewatered silt and sand will be transported to driveway where it will be used as fill. Details of the project are contained in information received electronically at the Division of Water on August 11, 2004.

Location : 103 Country Lake Road; along both sides of the stream, beginning at the upstream side of the (Country Lake Road) Hardy Road stream crossing and continuing upstream approximately 201'
DOWNSTREAM: near Underwood, Monroe Township, Clark County
SE¼, SE¼, SW¼, Section 30, T 2N, R 7E, Otisco Quadrangle
Quad Code: 3808556
UTM Coordinates: Downstream 4270220 North, 605920 East
UPSTREAM:
UTM Coordinates: Upstream 4270215 North, 605848 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23050

Stream : Birch Creek

Applicant : Marathon Ashland Pipe Line LLC
Laura McKee
5825 East Cumberland Road
PO Box F
Martinsville, IL 62442-0573

Description : Approximately 1050' of an existing 10" diameter crude pipeline will be excavated. The existing trench will be deepened and the pipeline will be repositioned in the trench for protection. The excavated materials will be backfilled to provide 3' of cover over the pipeline. Prior to excavation of the pipeline, temporary earthen dams will be constructed across the two tributaries so that construction of the pipeline can occur in dry conditions. The earthen dams will be covered in geotextile fabric to minimize sedimentation. A silt fence will be installed downstream to stop sediment migration into the creek. Details of the project are contained in information received at the Division of Water on August 19, 2004.

Location : Beginning approximately 1600' north and 1600' west of the County Road 10 East and State Road 59 intersection extending 1050' southwest
DOWNSTREAM: near Brazil, Posey Township, Clay County
NW¼, SW¼, Section 12, T 12N, R 7W, Staunton Quadrangle
Quad Code: 3908742
UTM Coordinates: Downstream 4371400 North, 488500 East
UPSTREAM: Clay County

UTM Coordinates: Upstream 4371600 North, 488725 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-23053
- Stream : Junk Ditch
- Applicant : Sunil Gupta
3424 Taylor Street
Fort Wayne, IN 46802-4705
- Description : An existing gravel drive and asphalt parking lot will be removed and a new 24' X 240' asphalt drive and 35' X 100' asphalt parking lot will be constructed in the floodway as part of a commercial development along the northwest (left) bank of the stream. Material will be excavated from the floodway and placed as fill outside of the floodway to elevate the parking lot near the new structure. Details of the project are contained in information and plans received at the Division of Water on August 24, 2004.
- Location : Along the north bank of the stream, immediately north and approximately 1400 feet West of the intersection of Ardmore Avenue and Covington Road
near Fort Wayne, Wayne Township, Allen County
SE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 8, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4546776 North, 651712 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : PL-19914
- Lake : Wall Lake
- Applicant : Wayne Davis
6150 North 1170 East
Orland, IN 46776-9523
- Description : A concrete seawall will be constructed across 30' of the applicant's 59' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing glacial stone seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on July 14, 2004, July 28, 2004 and August 27, 2004.
- Location : 6150 North 1170 East
near Orland, Greenfield Township, LaGrange County
NW $\frac{1}{4}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$, Section 24, T 38N, R 11E, Orland Quadrangle
Quad Code: 4108562
UTM Coordinates: Downstream 4621369 North, 649629 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19932

Lake : Tippecanoe Lake

Applicant : Howard Webb
1228 Vanderbilt Drive
Anderson, IN 46011-9268

Description : A glacial stone seawall will be constructed across 104' of the applicant's frontage. The lakeward face of the glacial stone seawall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 5, 2004, and August 16, 2004.

Location : EMS Lane T 47 Number 192
near Leesburg, Tippecanoe Township, Kosciusko County
NE¼, SW¼, SW¼, Section 8, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4575334 North, 604997 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19933

Lake : Tippecanoe Lake

Applicant : Howard Newhouse
12426 South 1050 East
Converse, IN 46919-9724

Description : A concrete seawall will be refaced with a layer of concrete across 75' of the applicant's frontage. The refacing will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 5, 2004, and August 16, 2004.

Location : 15 EMS T34 D2 Lane; Lot 17 and the east half of lot 18 in Block A of Oldmill Place Subdivision
near Leesburg, Van Buren Township, Kosciusko County
SW¼, SW¼, SE¼, Section 1, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4576634 North, 602344 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19957

Lake : Lake Wawasee

Applicant : Todd A Bowen
909 River Oak Run
Fort Wayne, IN 46804-3543

Description : Approximately 67' of channel stream bank will be stabilized with riprap placed to protect the bank from further erosion. The riprap will be keyed into stream at its base and will conform to existing bank at the lot lines. It will have a maximum height of 6', a maximum stream ward projection of 2' beyond the existing bank, and 1.1 side slopes. Details of the project are contained in information received electronically at the Division of Water on September 1, 2004.

Location : Lot 377 in Enchanted Hills. between 9257 and 9285 on Sleepy Hollow pkwy
channel of the Wawasee
at Cromwell, Turkey Creek Township, Kosciusko County
Section 1, R 12W

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19958

Lake : Lake Wawasee

Applicant : P & A Realty
PO Box 11529
Fort Wayne, IN 46859-1529

Description : A new seawall will be constructed across 45' of the 45' frontage of the applicant to deter shoreline erosion. The wall will consist of 5' x 18" vinyl sheet piling with a aluminum cap. The wall will follow the lakes legal shore line. Details of the project are contained in information received electronically at the Division of Water on September 1, 2004.

Location : In Enchanted hills off east wawasee drive on the corner of tiny tim lane and candy cane lane
near Cromwell, Turkey Creek Township, Kosciusko County
Section 7

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19959

Lake : Sweetwater Lake

Applicant : Max L Mouser
9511 East 96th Street
Indianapolis, IN 46256-9346

Description : An existing 30 ft wide channel(approximately) along lots SW-307 and 308 located on the shore of Sweetwater Lake will undergo maintenance dredging along approximately 150 ft of the shoreline. Approximately 8 ft of accumulated muck and debris will be removed from the lake bed by dredging to a depth of 9 ft below the average normal level of the lake at distance of 15 ft from the shoreline and uniformly sloping back to the average normal level at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area not be allowed to return to the lake. Details of the project are contained in information received electronically at the Division of Water on September 1, 2004.

Location : Lake frontage at lots SW-307 and 308 at 7440 Grizzley Drive
at Nineveh, Hamblen Township, Brown County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11